

Date: September 14, 2009

AREA: General Administration
AGENDA ITEM(S): Appropriate Protocol
CONTACT PERSON(S): Robert L. Logan, Superintendent
<input type="checkbox"/> ACTION <input checked="" type="checkbox"/> FOR INFORMATION

I. Synopsis of Agenda Item (Overview & Purpose)

During our January Board Retreat we discussed protocol for the Board to use when obtaining information and referring complaints. During the opening of school this year we have deviated from the agreed upon process. In your responses to staff and parents some Board members have directly accessed staff other than the Senior Leadership Team, obtained information, and reported it directly back to people. This is problematic in that it disrupts information flow, gives staff and parents an alternative ways to seek information, expresses concerns without going through administration, and weakens the effectiveness of the system.

On one occasion a staff concern was directly submitted to an external agency by a Board member. The Board is liable for any legal or compliance violations brought by legal action or regulatory agencies. If the school system is to work effectively and efficiently with the necessary level of community support and trust it is imperative that established systems of communication and protocol be followed.

II. Organizational Impact (Academic, Fiscal & Personnel)

As previously stated, the practice of allowing staff and parents alternative avenues of reporting concerns or seeking information erodes the authority of and trust in the administration by the public and staff. Enough exceptions to any system of doing business soon results in no system of doing business. I have also found that in most cases deviation from established protocol results in additional work for administration and even further doubt and confusion.

III. Superintendent's Recommendation (For Information Only)

I am requesting to meet with the Board Chair and Vice-Chair and clarify/develop Board process for requesting information and referring complaints. During the October board meeting processes will be discussed, amended, and enacted.

Suggested Motion: For Information Only

SAGE Academy

Date	Service
Mar-08	repaired drain at front of building
Jul-08	4" concrete, minor grading, removal of concrete, gravel
Jul-08	abated/removed asbestos ceiling tiles (cafeteria, vestibule, and corridor)
Jul-08	3,200 sq ft of new ceiling tile and grid in cafeteria and vestibule
Jul-08	cleaned all gutters and drains
Jul-08	cleaned carpets
Jul-08	760 sq ft of new ceiling tile and grid in corridor by the toilets
Aug-08	cleaned and caulked roof, approx. 4,896' at rear shop building
Aug-08	cleaned and caulked roof, approx. 7,728' at front classrooms
Aug-08	cleaned and caulked roof, approx. 8,528' at office and classrooms
Aug-08	cleaned and caulked roof, approx. 8,903' at rear classrooms
Sep-08	cleaned out and repaired downspout
Sep-08	installed drain system between upper and lower classrooms
Oct-08	cleaned all gutters and drains
Dec-08	cleaned awnings
Jan-09	cleaned all gutters and drains
Feb-09	caulked 3 windows, inside and outside
Apr-09	cleaned all gutters and drains
Jul-09	cleaned all gutters and drains
Jul-09	cleaned carpets
Jul-09	installed 8" ABS, install 6" ABS from gutters to 8" main drain, cut and put concrete back in where gutter drains around sidewalk, and install 2' catch basin
Jul-09	installed new windows, insulation, drywall (painted), and outside vinyl siding (2 rooms)
Aug-09	installed 3 new commercial air cleaners, 5-stage with HEPA and UV
Aug-09	installed 7 new storage cabinets
Aug-09	repaired roof damage around 2 pipes
Aug-09	replaced ceiling tiles in classrooms

Inspection of School

Water Supply <input type="checkbox"/> 1 Community	<input type="checkbox"/> 3 Non-Transient Non-Community	Water sample taken today? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> 1 Inspection	<input type="checkbox"/> Name Change
<input type="checkbox"/> 2 Transient Non-Community	<input type="checkbox"/> 4 Non-Public Water Supply		<input type="checkbox"/> 2 Re-Inspection	<input type="checkbox"/> Verification of Closure
Wastewater System <input type="checkbox"/> 1 Community <input type="checkbox"/> 2 On-Site System			<input checked="" type="checkbox"/> V Visit	<input type="checkbox"/> Status Change

Name of School: SAGE ACADEMY
 Location Address: 501 MARTIN LUTHER KING BLVD Mailing Addr: _____
 City: SILER CITY State: NC Zip: 27344 City: _____ State: _____ Zip: _____

	Score	Comments
		** SEE COMMENT SHEET ATTACHED **
1. WATER SUPPLY: Approved water supply properly located, constructed, and operated, adequate for all requirements 130*; well house clean, no storage 15*; no cross connections 30* (.2405).....	175 0	
2. SANITARY SEWAGE DISPOSAL: Sewage collected, treated, and disposed of by an approved method 150*; system properly operated and maintained 55* (.2407).....	205 0	
3. DRINKING FOUNTAINS: Clean and in good repair 40#; adequate pressure, properly regulated 40# (.2406).....	80 0	
4. TOILET FACILITIES: Walls and ceilings clean, nonabsorbent, washable, and in good repair 30#; fixtures clean and in good repair 40#; floors impervious, kept clean 30# (.2408).....	100 30	
5. LAVATORY FACILITIES: Fixtures clean and in good repair 30#; soap and individual towels or approved hand-drying devices provided 40# (.2409).....	70 30	
6. FLOORS: WALLS: AND CEILINGS: Floors, walls, and ceilings clean and in good repair 30# (.2410).....	30 30	
7. STORAGE SPACES: Clean 20#; storage off floor 20# (.2411).....	40 20	
8. LIGHTING AND VENTILATION: Fixtures, grills, vents, blinds, drapes, etc., clean and in good repair 40# (.2412).....	40 0	
9. DRESSING ROOMS AND SHOWERS: Floors, walls, and ceilings clean, in good repair, washable, non-absorbent 30#; fixtures clean, in good repair 40#; facilities for storage of clothes provided, kept clean 20#; soap and towel 10* (.2413).....	100 0	
10. SOLID WASTE DISPOSAL: Impervious, cleanable containers with lids, approved type 20*; clean and in good repair 20#; empties as needed, properly disposed of 40# (.2414).....	80 0	
11. PREMISES: MISCELLANEOUS: Premises neat, clean 30#; no vector breeding or harborage 20#; pesticides and other toxic materials properly handled and stored 30* (.2415).....	80 0	
TOTAL	1000 110	

Additional Comment Sheet Attached

Inspection by: Jonathan Godfrey-1 EHS I.D.# 2203

Yes No

INSTRUCTIONS Purpose: General Statute 130A-238 requires the Commission for Health Services to adopt rules governing the sanitation of public, private, and religious schools. This form has been developed to record the results of such inspections. **Preparation:** Local environmental health specialists shall complete the form every time they conduct an inspection. Prepare an original and two copies for: 1. Original to be left with principal. 2. Copy for the local health department. 3. Copy for the Environmental Health Services Section, Division of Environmental Health. **Disposition:**

COMMENT ADDENDUM

County: Chatham

Name: SAGE ACADEMY ID: 4019440018
Street: 501 MARTIN LUTHER KING BLVD
City: SILER CITY Date: April 06, 2009
State: NC Zip: 27344 Total Time 1 hrs / 0 min
Time In: 2:0 PM Time Out: 3:0 PM



4. .2408 Walls and ceilings of toilet facilities must be clean and in good repair. Leaks/stained ceiling tiles in room 110, 111, 114, 115, 211, mens and womens main hall restroom and 8th grade hall resroom. Repair leaks/ replace tile.
5. .2409 Sinks in many classrooms stained and in need of recaulking.
6. .2410 Floors walls and ceiling must be clean and in good repair. media center has stained ceiling tile. Repair leak/ replace tile. Floor by restroom in room 111 is cracked. Repair floor.
7. .2411 All storage must be at least 15" off the floor to allow proper cleaning. Room 115 has items stored on floor.

Instructions:
Purpose: This form is developed to be used for making explanatory comments about violations observed during inspections and/or notices of permit actions during inspections of restaurants, foodstands, commissaries, hotels, bed and breakfast homes and inns, summer camps, meat markets, institutions, residential care facilities, public swimming pools, tattoo establishments and other establishments inspected by Environmental Health Specialists under rules adopted by the Commission for Health Services. Preparation: Local Environmental Health Specialists shall complete form DENR 4008 when necessary during inspections and or notices of permit actions. The original and two copies will be distributed with the inspection form about which they provide comments.
Disposition: This form may be destroyed in accordance with Standard-8.B.8., Inspection Records, of the Records Retention and Disposition Schedule for County/District Health Departments published by the North Carolina Division of Archives & History. Additional forms may be ordered from: Division of Environmental Health, 1632 Mail Service Center, Raleigh, NC 27699-1632.
(Courier 52-01-00)

Score 89.5

Health Department 19

Date of Insp/Chg: 05 / 29 / 08

Current Facility ID 4019440018

Inspection of School

Status Code: A

Old Facility ID _____

Water	<input checked="" type="checkbox"/> Community	<input checked="" type="checkbox"/> Non-Transient Non-Community	Water sample taken today?	<input checked="" type="checkbox"/> Inspection	<input type="checkbox"/> Name Change
	<input checked="" type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Non-Public Water Supply	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Re-inspection	<input type="checkbox"/> Verification of Closure
Wastewater System:	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> On-Site System		<input checked="" type="checkbox"/> Visit	<input type="checkbox"/> Status Change

Name of School: SAGE ACADEMY

Location Address: 501 MARTIN LUTHER KING BLVD

Mailing Addr. _____

City: SILER CITY

State: NC

Zip: 27344

City: _____

State: _____

Zip: _____

	Score	Comments
1. WATER SUPPLY: Approved water supply properly located, constructed, and operated, adequate for all requirements 130*; well house clean, no storage 15*; no cross connections 30* (.2405)	175	** SEE COMMENT SHEET ATTACHED **
2. SANITARY SEWAGE DISPOSAL: Sewage collected, treated, and disposed of by an approved method 150*; system properly operated and maintained 55* (.2407)	205	
3. DRINKING FOUNTAINS: Clean and in good repair 40#; adequate pressure, properly regulated 40# (.2406)	80	
4. TOILET FACILITIES: Walls and ceilings clean, nonabsorbent, washable, and in good repair 30#; fixtures clean and in good repair 40#; floors impervious, kept clean 30# (.2408)	100 30	
5. LAVATORY FACILITIES: Fixtures clean and in good repair 30#; soap and individual towels or approved hand-drying devices provided 40# (.2409)	70	
6. FLOORS: WALLS: AND CEILINGS: Floors, walls, and ceilings clean and in good repair 30# (.2410)	30 15	
7. STORAGE SPACES: Clean 20#; storage off floor 20# (.2411)	40 40	
8. LIGHTING AND VENTILATION: Fixtures, grills, vents, blinds, drapes, etc., clean and in good repair 40# (.2412)	40	
9. DRESSING ROOMS AND SHOWERS: Floors, walls, and ceilings clean, in good repair, washable, non-absorbent 30#; fixtures clean, in good repair 40#; facilities for storage of clothes provided, kept clean 20#; soap and towel 10* (.2413)	100	
10. SOLID WASTE DISPOSAL: Impervious, cleanable containers with lids, approved type 20*; clean and in good repair 20#; empties as needed, properly disposed of 40# (.2414)	80 20	
11. PREMISES: MISCELLANEOUS: Premises neat, clean 30#; no vector breeding or harborage 20#; pesticides and other toxic materials properly handled and stored 30* (.2415)	80	
TOTAL	1000 105	

Inspection by: Benny Albin R.S. [Signature] # 2042

Additional Comment Sheet Attached

Yes No

INSTRUCTIONS Purpose: General Statute 130A-236 requires the Commission for Health Services to adopt rules governing the sanitation of public, private, and religious schools. This form has been developed to record the results of such inspections. **Preparation:** Local environmental health specialists shall complete the form every time they conduct an inspection. Prepare an original and two copies for: 1. Original to be left with principal. 2. Copy for the local health department. 3. Copy for the Environmental Health Services Section, Division of Environmental Health. **Disposition:** Please refer to Records Retention and Disposition Schedule 8.B.6., Inspection Records for County/District Health Departments which is published by the North Carolina Division of Archives & History. **Additional forms may be ordered from:** Division of Environmental Health, 1632 Mail Service Center, Raleigh, NC 27699-1632, (Courier 52-01-00)

Daniel Harty 5/29/08

N.C. Department of Environment and Natural Resources

Division of Environmental Health

COMMENT ADDENDUM

Name: SAGE ACADEMY

ID: 4019440018

Street: 501 MARTIN LUTHER KING

City: SILVER CITY

General Comments:

Better floor cleaning needed in ventilation room and phone room. Lower hall classroom and bathrooms have musky smell present. Ventilation fans needed in both areas to remove odor. Veneering on cabinetry in media center needed on the edges. Old sinks and cabinetry in classrooms need removing or replacing. Drain area at entrance to boiler room.

NC: Department of Environmental and Natural Resources
Division of Environmental Health

Score: 86.5
Date of Insp/Chg: 05/17/2007
Status Code: A

Health Department: CHATHAM
Current ID Number: 04019440018
Old ID Number:

INSPECTION OF SCHOOL

Water Supply	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	Water sample taken? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Non-Public Water Supply	<input checked="" type="checkbox"/> Inspection
			<input type="checkbox"/> Name Change
			<input type="checkbox"/> Visit
			<input type="checkbox"/> Status Change
Wastewater	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> On-Site System	<input type="checkbox"/> Re-Inspection
		Seating:0	<input type="checkbox"/> Verification of Closure

Name of School: SAGE ACADEMY

Location: 501 Martin Luther King Jr. Blvd

Mailing Addr: PO Box 128

City: SILER CITY

State: NC

Zip: 27344

City: Pittsboro

State: NC

Zip: 27312

	SCORE	COMMENTS
1. WATER SUPPLY: Approved wather supply properly located, constructed and operated, adequate for all requirements 130* ; well house clean, no storage 15* ; no cross connections 30* (.2405)	175	4. Several ceiling tiles in restrooms need replacing due to staining from roof leaks; some commodes in individual class restrooms need seat replaced and staining of porcelain needs removal.
2. SANITARY SEWAGE DISPOSAL: Sewage collected, treated, and disposed of by an approved method 150* ; system properly operated and maintained 55* (.2407)	205	6. Several repair issues with flooring observed. 1) Buckled tile in 1st level classroom from large ant colony under building. 2) Tiles missing in ESL classroom on 2nd level. 3) Flooring throughout hallways need stripping of tile and basboard especially on 2nd level where lockers have been removed; some wall surfaces need cleaning and repainting in student restrooms and along stair well from dining room.
3. DRINKING FOUNTAINS: Clean and in good repair #40 ; adequate pressure, properly regulated 40# (.2406)	80	8. Window screens needed in some windows that were opened in hallway on 2nd level; screens broken out of new windows of 1st classroom to right on 2nd level.
4. TOILET FACILITIES: Walls and ceilings clean, nonabsorbent, washable, and in good repair (30#) ; fixtures clean and in good repair (40#) ; floors impervious, kept clean 30# (.2408)	100	11. High mounded mulch along front of building at classrooms should be dramatically reduced to prevent pest harborage such as ant colony and moisture retention at building foundation; toxic substances stored in reach of children in ESL classroom on 2nd level.
5. LAVATORY FACILITIES: Fixtures clean and in good repair 30# ; soap and individual towels or approved hand-drying devices provided 40# (.2409)	70	General Comments: Recommmend keeping air circulation in classrooms even when not occupied by fan mode on AC unit extremely musty air quality observed upon entering 1st class to left on 1st level. Several doors sweeps, weather stripping & threshold repair or replacement observed at all exterior doors.
6. FLOORS: WALLS: AND CEILINGS: Floors, walls, and ceilings clean and in good repair (30#) (.2410)	30	
7. STORAGE SPACES: Clean 20# ; storage off floor 20# (.2411)	40	
8. LIGHTING AND VENTILATION: Fixtures, grills, vents, blinds, drapes, etc., clean and in good repair (40#) (.2412)	40	
9. DRESSING ROOMS AND SHOWERS: Floors, walls, and ceilings clean, in good repair, washable, non-absorbent 30# ; fixtures clean, in good repair 40# ; facilities for storage of clothes provided, kept clean 20# ; soap and towel 10* (.2413)	100	
10. SOLID WASTE DISPOSAL: Impervious, clenable containers with lids, approved type 20* ; clean and in good repair 20# ; empties as needed; properly disposed of 40# (.2414)	80	
11. PREMISES: MISCELLANEOUS: Premises neat, clean 30# ; no vector breeding or harborage (20#) ; pesticides and other toxic materials properly handled and stored (30*) (.2415)	30	
TOTAL	1000	135

Additional Comment Sheet Attached
 YES NO

Inspection By: Virginia Ryan
DENR 1163 (Revised 6/03)
Environmental Health Services Section (Review 6/06)

EHS ID#: 0893

NC. Department of Environmental and Natural Resources
Division of Environmental Health

Score: 85
Date of Insp/Chg: 06/12/2006
Status Code: A

Health Department: Chatham
Current ID Number: 04019440018
Old ID Number:

INSPECTION OF SCHOOL

Water Supply	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	Water sample taken? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Non-Public Water Supply	<input checked="" type="checkbox"/> Inspection <input type="checkbox"/> Name Change
			<input type="checkbox"/> Visit <input type="checkbox"/> Status Change
Wastewater	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> On-Site System	<input type="checkbox"/> Re-Inspection <input type="checkbox"/> Verification of Clos

Name of School: SAGE ACADEMY

Location: 439 E 5TH ST

City: SILER CITY

State: NC

Zip: 27344

Mailing Addr:

City:

State:

Zip:

	SCORE	COMMENTS
1. WATER SUPPLY: Approved wather supply properly located, constructed and operated, adequate for all requirements 130* ; well house clean, no storage 15* ; no cross connections 30* (.2405)	175	4. All bathrooms need cleaning, some floor repair, a repainting. Water leaking into light in womens restr Bathroom stall in metal workshop building needs re rusting.
2. SANITARY SEWAGE DISPOSAL: Sewage collected, treated, and disposed of by an approved method 150* ; system properly operated and maintained 55* (.2407)	205	5. Sinks need cleaning or repair in ESL room and rc 6. Floors throughout the school need repair. Tiles ne floor along the base of wall in hallway and in classr needs resurfacing. Peeling paint in ESL class, hallw parents resource room. Ceiling tiles need repair in R
3. DRINKING FOUNTAINS: Clean and in good repair #40 ; adequate pressure, properly regulated 40# (.2406)	80	8. Light shields needed in ESL room, 21 t, bilingual resource room and in metal workshop.
4. TOILET FACILITIES: Walls and ceilings clean, nonabsorbent, washable, and in good repair (30#) ; fixtures clean and in good repair (40#) ; floors impervious, kept clean (30#) (.2408)	100	General Comments:
5. LAVATORY FACILITIES: Fixtures clean and in good repair 30# ; soap and individual towels or approved hand-drying devices provided 40# (.2409)	70	
6. FLOORS: WALLS: AND CEILINGS: Floors, walls, and ceilings clean and in good repair (30#) (.2410)	30	
7. STORAGE SPACES: Clean 20# ; storage off floor 20# (.2411)	40	
8. LIGHTING AND VENTILATION: Fixtures, grills, vents, blinds, drapes, etc., clean and in good repair (40#) (.2412)	40	
9. DRESSING ROOMS AND SHOWERS: Floors, walls, and ceilings clean, in good repair, washable, non-absorbent 30# ; fixtures clean, in good repair 40# ; facilities for storage of clothes provided, kept clean 20# ; soap and towel 10* (.2413)	100	
10. SOLID WASTE DISPOSAL: Impervious, clenable containers with lids, approved type 20* ; clean and in good repair 20# ; empties as needed; properly disposed of 40# (.2414)	80	
11. PREMISES: MISCELLANEOUS: Premises neat, clean 30# ; no vector breeding or harborage 20# ; pesticides and other toxic materials properly handled and stored 30* (.2415)	30	
TOTAL	1000	100

Additional Comment Sheet Attache
 YES NO

Inspection By: Anne Lowry
DENR 1163 (Revised 6/03)
Environmental Health Services Section (Review 6/06)

EHS ID#: 1554

NC. Department of Environmental and Natural Resources
Division of Environmental Health

Score: 83.5
Date of Insp/Chg: 05/26/2005
Status Code: A

Health Department: Chatham
Current ID Number: 04019440018
Old ID Number:

INSPECTION OF SCHOOL

Water Supply	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> Non-Transient Non-Community	Water sample taken? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<input type="checkbox"/> Transient Non-Community	<input type="checkbox"/> Non-Public Water Supply	<input checked="" type="checkbox"/> Inspection
			<input type="checkbox"/> Name Change
			<input type="checkbox"/> Visit
			<input type="checkbox"/> Status Change
Wastewater	<input checked="" type="checkbox"/> Community	<input type="checkbox"/> On-Site System	<input type="checkbox"/> Re-Inspection
		Seating:0	<input type="checkbox"/> Verification of Clos

Name of School: SAGE ACADEMY

Location: 439 E 5TH ST

City: SILER CITY

State: NC

Zip: 27344

Mailing Addr:

City:

State:

Zip:

		SCORE	COMMENTS
1. WATER SUPPLY: Approved wather supply properly located, constructed and operated, adequate for all requirements 130* ; well house clean, no storage 15* ; no cross connections 30* (.2405)	175		3. Need more pressure at water fountain in lower ha
2. SANITARY SEWAGE DISPOSAL: Sewage collected, treated, and disposed of by an approved method 150* ; system properly operated and maintained 55* (.2407)	205		4. walls in restrooms need cleaning; stall wall needs cleaning/replacing in faculty/staff bathroom. Ceiling need replacing in several classroom bathrooms. Roc has a hole in the bathroom wall. Room 107 bathroo seal around wastelines from sinks.
3. DRINKING FOUNTAINS: Clean and in good repair #40 ; adequate pressure, properly regulated (40#) (.2406)	80	20	5. classroom sinks need cleaning. Room 109 sink in restroom needs to be smooth and easily cleanable. A cracked (sharp edges) in boys restroom..
4. TOILET FACILITIES: Walls and ceilings clean, nonabsorbent, washable, and in good repair (30#) ; fixtures clean and in good repair 40# ; floors impervious, kept clean (30#) (.2408)	100	30	6. Hole in wall under sink in room 115. Floor and b need repair/repainting in all classrooms inspected. T front hall and along thresholds needs repair; basebo hallways need repainting/repair; Room 112 window repair. Ceiling tiles need replacing in Rooms 113,114,115,101, and service room. Hole in wall in office.
5. LAVATORY FACILITIES: Fixtures clean and in good repair (30#) ; soap and individual towels or approved hand-drying devices provided 40# (.2409)	70	15	7. all storage must be up off of the floor to prevent r harborages and for ease of cleaning.
6. FLOORS: WALLS: AND CEILINGS: Floors, walls, and ceilings clean and in good repair (30#) (.2410)	30	30	8. need to replace bulb shields in faculty/staff mens (lower hall) and in nurses room.
7. STORAGE SPACES: Clean 20# ; storage off floor (20#) (.2411)	40	10	11. signs of mice infestation under sinks in rooms 1 115. Cleaners need to be out of childrens reach in th "newcomers" room.
8. LIGHTING AND VENTILATION: Fixtures, grills, vents, blinds, drapes, etc., clean and in good repair (40#) (.2412)	40	20	General Comments: seal holes in walls from missing handrail at lower h
9. DRESSING ROOMS AND SHOWERS: Floors, walls, and ceilings clean, in good repair, washable, non-absorbent 30# ; fixtures clean, in good repair 40# ; facilities for storage of clothes provided, kept clean 20# ; soap and towel 10* (.2413)	100		
10. SOLID WASTE DISPOSAL: Impervious, clenable containers with lids, approved type 20* ; clean and in good repair 20# ; empties as needed; properly disposed of 40# (.2414)	80		
11. PREMISES: MISCELLANEOUS: Premises neat, clean 30# ; no vector breeding or harborage (20#) ; pesticides and other toxic materials properly handled and stored (30*) (.2415)	30	40	
TOTAL	1000	165	

Additional Comment Sheet Attache